

# Cable Connector Class F<sub>A</sub> – Fully Shielded Cable Connector for Field Assembly



## Cable Connector Class F<sub>A</sub>

There may be situations when maintaining or extending network cablings but also when installing a new one that a cable is just a bit too short. A possible solution would be to replace this cable in its whole length – an action involving in any case high effort and being sometimes even impossible due to the local conditions.

The cable connector Class  $F_A$  is the easy and smart solution to extend or to connect data cables without any special tool. By its slim and round design it can be used everywhere, even in restricted space. The cable connector Class  $F_A$  is a must-have for the basic equipment of any tool box!

#### **Benefits**

- > cable connector for field assembly Class F<sub>A</sub> for 8 wire cables
- > to connect/extend/repair/relocate copper data cables up to Cat.7<sub>A</sub>
- > GHMT certified to ISO/IEC 11801 and IEC 61156-5
- > suitable for 10GBit Ethernet (IEEE 802.3an), Remote Powering (PoE, PoE plus, UPoE and 4PPoE), HDBaseT, SAT-IP and AVoverIP
- > compact design: diameter 16.8 mm x length 64 mm
- > IP67 protected housing in combination with IP67 appropriate cables\*1
- > refined zinc die-cast housing
- > easy and fast assembly without special tools
- ightarrow shield connection and strain relief integrated

- > easy connection of data cables AWG 26/1 to 22/1 (solid wire) and AWG 26/7 to 22/7 (stranded wire) to insulation displacement connectors (IDC)
- > solid copper wire diameter 0.4 to 0.64 mm
- > stranded copper wire diameter 0.48 to 0.76 mm
- > conductor diameter up to 1.6 mm
- > suitable for cables with an overall diameter of 5.0 to 9.7 mm\*1
- > fully shielded version according to DIN EN 50173-1



<sup>\*1</sup> see data sheet for more detailed specification

### Product Overview

| PRODUCT NAME   | P/N           | VARIANT             | IMAGE |
|--|---------------|---------------------|-------|
| Cable Connector Class F <sub>A</sub>   | 130863-02-E   | -                   |       |
| GC600 F1 23 Cat.6 <sub>A</sub> U/FTP 4P LSHF   MC GC1000 plus23 Cat.7 S/FTP 4P LSHF  Class E <sub>ca</sub> | 1308436A3214M | simplex             |       |
|  | 1308436A32141 | 500 m drum          |       |
|  | 1308436A32142 | 1000 m drum         |       |
|  | 130842703214M | simplex yard goods  |       |
|  | 1308427032141 | simplex 500 m drum  |       |
|  | 1308427032142 | simplex 1000 m drum |       |
|  | 1308427032144 | duplex yard goods   |       |
|  | 1308427032143 | duplex 500 m drum   |       |
| MC GC1300 pro22 Cat.7 <sub>A</sub> S/FTP 4P LSHF-FR Class D <sub>ca</sub> s2 d2 a1 -                       | 1308427B3414M | simplex yard goods  |       |
|  | 1308427B34141 | simplex 500 m drum  |       |
|  | 1308427B34142 | simplex 1000 m drum |       |
|  | 1308427B34144 | duplex yard goods   |       |
|  | 1308427B34143 | duplex 500 m drum   | 177   |
| Click & fix 19 inch frame<br>for cable connector   | 130863T101E   | 1RU                 |       |

METZ CONNECT GmbH is a member of the following organizations and associations.

























#### METZ CONNECT GmbH

Im Tal 2 78176 Blumberg Germany

Phone +49 7702 533-0 Fax +49 7702 533-189

info@metz-connect.com www.metz-connect.com



#### METZ CONNECT USA Inc.

200 Tornillo Way Tinton Falls, NJ 07712 USA

Phone +1-732-389-1300 Fax +1-732-389-9066

#### METZ CONNECT France SAS

28, Rue Schweighaeuser 67000 Strasbourg France

Phone +33 3886 17073 Fax +33 3886 19473

#### METZ CONNECT AUSTRIA GmbH

c/o German chamber of commerce in Austria

Schwarzenbergplatz 5, Top 3/1 1030 Vienna Austria

Phone +43 1 227 12 64 Fax +43 1 227 12 66

#### METZ CONNECT Zhongshan Ltd.

Ping Chang Road Ping Pu Industrial Park Sanxiang Town Zhongshan City, 528463 Guangdong Province China

Phone +86 760 86365 055 Fax +86 760 86365 050

#### METZ CONNECT Asia Pacific Ltd.

Suite 1803, 18/F Chinachem Hollywood Centre, 1 Hollywood Road, Central Hong Kong

Phone +852 26 027 300 Fax +852 27 257 522

