

# Product information – OpDAT slide and slide R



# **Product specification**

- > Fiber optic patch panels for 19-inch systems, 1 rack unit (RU)
- > Service-friendly mounting by an extendible drawer
- > Light construction with steel sheet front plate
- > the drawer is fixed with plastic snap fasteners as standard. If fastening is necessary for mechanically demanding applications, the OpDAT slide R version with knurled screws is recommended.
- > Front plates available in gray (RAL 7035) or black (RAL 9005)
- > All front plates are available with 12 or 24 adapter cutouts. Unused cutouts in the front plate are covered by blank connectors.
- > Available with the following adapters: LC, SC, E2000 and ST in duplex version
- > Pigtails are available with fiber types OM3, OM4, OM5 and OS2. All pigtails are inspected and cleaned before inserted into the adapters according to IEC 61300-3-35.

- > All standard patch panels are available with holders for crimp splice or shrink splice protections
- > Now available with connectors of quality class **Grade B**: In this case, particularly low insertion loss values are achieved by selecting and processing the connector ferrules
- > OpDAT slide panels allow also recessed mounting
- > The rear panel has 10 options for cable insertion:
  - 4x Ø 21 mm (for M20 or PG13,5)
  - 2x Ø 23 mm (for M20 or PG16)
  - 2x Ø 29 mm (for M25 or PG21)
- 2x U-shaped cutouts for VIKs



# P | Cabling

# **Equipment variants**

OpDAT slide patch panels are available in 2 variants.

## PRODUCT NAME

## VARIANT SPLICE

## VARIANT VIK









## Properties

- > Equipped with pigtails and adapters
- > Pigtails inserted to splice trays with splice holders, ready to splice
- > Pigtail connectors are cleaned and inserted into adapters, assignment according to color code of IEC 60304
- > Equipped with adapters
- > Prepared for toolless fixation of pre-terminated installation cables (OpDAT VIK) in U-shaped cut-

## Accessoires


- > one cable gland M20
- > more cable glands are available as accessory
- > two mounting plates
- > more mounting plates are available as accessory

# Technical Data

VARIANTS	EQUIPPED WITH	ADAPTERS	PIGTAILS
splice _	SC-Duplex	6	12
		12	24
		24	48
	LC-Duplex	6	12
		12	24
		24	48
	ST-Duplex	6	12
		12	24
-		24	48
	E2000-Duplex	6	12
		12	24
		24	48
	SC-Duplex	6	-
VIK -		12	-
		24	
	LC-Duplex	6	-
		12	-
		24	
	ST-Duplex	6	-
		12	-
		24	
	E2000-Duplex	6	
		12	-
		24	-
Dimension for fixation			465 mm
Dimension for mounting (LxHxW)			452 x 1 HE x 244 mm

ACCESSORIES		P/N
	M20 (clamping range 7 - 12 mm)	150811M20-E
Cable gland	M20 (clamping range 4 - 13 mm)	150811M20C-E
	M25 (clamping range 10 - 16 mm)	150811M25-E
Mounting plate VIK		15081106-E
		15090401-E (VE 12 St)
Crimp splice protection		15090401-I (VE 150 St)
Shrink splice protection		15090402-I (VE 12 St)

# Order information





To configure the patch panels you need, use our configurator, which you can find on our homepage www.metz-connect.com.

With it you can configure your patch panel individually according to your requirements and order it directly.





## We realize ideas

#### **METZ CONNECT GmbH**

Im Tal 2 78176 Blumberg Germany

Phone +49 7702 533-0 Fax +49 7702 533-189

info@metz-connect.com www.metz-connect.com

#### METZ CONNECT USA Inc.

200 Tornillo Way Tinton Falls, NJ 07712 USA

Phone +1-732-389-1300 Fax +1-732-389-9066

#### METZ CONNECT France SAS

28, Rue Schweighaeuser 67000 Strasbourg France

Phone +33 3886 17073 Fax +33 3886 19473

## METZ CONNECT AUSTRIA GmbH

c/o German chamber of commerce in Austria

Schwarzenbergplatz 5, Top 3/1 1030 Vienna Austria

Phone +43 1 227 12 64 Fax +43 1 227 12 66

## METZ CONNECT Zhongshan Ltd.

Ping Chang Road Ping Pu Industrial Park Sanxiang Town Zhongshan City, 528463 Guangdong Province China

Phone +86 760 86365055 Fax +86 760 86365050

## METZ CONNECT Asia Pacific Ltd.

Suite 1803, 18/F Chinachem Hollywood Centre, 1 Hollywood Road, Central Hong Kong

Phone +852 26 027 300 Fax +852 27 257 522





